




# Toshiba Satellite L305D-S5950 Keyboard Replacement

Use these steps to replace the keyboard in your Toshiba Satellite L305D-S5950 laptop.

Written By: William





## TOOLS:

- [Phillips #0 Screwdriver](#) (1)
  - [Spudger](#) (1)
-



## Step 1 — Battery



- Locate the two sliding battery locks on the underside of the laptop.



## Step 2



- Locate the right battery lock and slide it to the right.



### Step 3




- While holding the left battery lock to the left, lift up the battery using the tab located on the top center of the battery.

### Step 4



- Remove the battery from the laptop.

## Step 5 — Keyboard



- Locate the plastic strip at the top of the keyboard.
- Use a pry tool to remove the plastic strip.
- Using your hands pull out the rest of the plastic strip.


## Step 6



- Use a phillips head #0 screwdriver to remove the two 3.75mm screws holding the keyboard in place.



## Step 7



- Lift up the top of the keyboard to remove it.
- ⚠ Under the keyboard there is a ribbon cable connecting the keyboard to the laptop. Do not just quickly pull out the keyboard.
- Unlock the ribbon cable by pushing on the locks that are located on both sides of ribbon cable.
- Unplug the ribbon cable from the laptop.

## Step 8



- Remove the keyboard completely from the laptop.

To reassemble your device, follow these instructions in reverse order.

